

## Volume contents

## Volume 39 (1995)

| Withdrawal-like effects of pentylenetetrazol and valproate in the naive organism: a model of motivation produced by opiate withdrawal?                     |     |
|--|-----|
| R.F. Mucha, F.F. Fassos, F.M. Perl.  The treatment mapping survey; a descriptive study of drug and alcohol treatment responses in 23 countries             | 1   |
| M. Gossop  | 7   |
| Cognitive capacity in female adolescent substance abusers  |     |
| R.E. Tarter, A.C. Mezzich, YC. Hsieh, S.M. Parks   | 15  |
| Cytokine levels in acute alcoholic hepatitis: a sequential study   |     |
| E. Rodríguez-Rodríguez, E. González-Reimers, F. Santolaria-Fernández, A. Milena-Abril, F. Rodríguez-Moreno, J. Oramas-                                     |     |
| Rodríguez, A. Martínez-Riera   | 23  |
| Cannabis use in a drug and alcohol clinic population  A.J. McBride.  | 20  |
| A.J. McBride.  Decrease in alcohol tolerance: clinical significance in alcohol dependence  | 29  |
| M. Ziólkowski, E. Maludzińska, T. Gruss, J. Rybakowski, J.R. Volpicelli  | 33  |
| The alcohol use disorder and associated disabilities interview schedule (AUDADIS): reliability of alcohol and drug modules in a general                    | 33  |
| population sample  |     |
| B.F. Grant, T.C. Harford, D.A. Dawson, P.S. Chou, R.P. Pickering.  | 37  |
| Stages and processes of change among polydrug users in methadone maintenance treatment   |     |
| M.A. Belding, M.Y. Iguchi, R.J. Lamb, M. Lakin, R. Terry.  | 45  |
| Absence of acute cocaine interactions with the MAO-B inhibitor selegiline  |     |
| K.A. Haberny, S.L. Walsh, D.H. Ginn, J.N. Wilkins, J.E. Garner, D. Setoda, G.E. Bigelow.   | 55  |
| Flunitrazepam and nordiazepam slowly released from silastic capsules induce physical dependence in rat   |     |
| X. Jing, E.P. Wala, J.W. Sloan.  | 63  |
| Brief communication  |     |
| Features of cocaine dependence with concurrent alcohol abuse   |     |
| K.T. Brady, S. Sonne, C.L. Randall, B. Adinoff, R. Malcolm.  | 69  |
| News   | 73  |
| Pathological gambling among methadone patients   |     |
| W. Feigelman, P.H. Kleinman, H.R. Lesieur, R.B. Millman, M.L. Lesser   | 75  |
| α-Benzyl-N-methylphenethylamine (BNMPA), an impurity of illicit methamphetamine synthesis: pharmacological evaluation and interaction with methamphetamine |     |
| K.A. Moore, A.H. Lichtman, A. Poklis, J.F. Borzelleca  | 83  |
| Validity of intravenous drug abusers' self-reported changes in HIV high-risk drug use behaviors  |     |
| L. Greenfield, G.E. Bigelow, R.K. Brooner  | 91  |
| Construct validity of the abuse-dependence distinction as measured by DSM-IV criteria for different psychoactive substances  A. Feingold, B. Rounsaville   | 99  |
| DSM-II-R alcohol abuse and dependence and psychiatric comorbidity in Ontario: results from the Mental Health Supplement to the                             |     |
| Ontario Health Survey  |     |
| H.E. Ross  | 111 |
| Common genetic mechanisms in alcohol, drug, and mental disorder comorbidity  | 129 |
| R.W. Pickens, D.S. Svikis, M. McGue, M.C. LaBuda  DSM-III, DSM-IV and ICD-10 as severity scales for drug dependence  | 123 |
| J.W. Langenbucher, J. Morgenstern, K.J. Miller   | 139 |
| Assessment of nalmefene glucuronide as a selective gut opioid antagonist   |     |
| L.J. Cheskin, T.N. Chami, R.E. Johnson, J.H. Jaffe   | 15  |

| Evaluating the reinforcement value of clinic-based privileges through a multiple choice procedure   |     |
|---|-----|
| M. Kidorf, M.L. Stitzer, R.R. Griffiths   | 107 |
| Amantadine does not reduce cocaine use or craving in cocaine-dependent methadone maintenance patients   |     |
| L. Handelsman, L. Limpitlaw, D. Williams, J. Schmeidler, P. Paris, B. Stimmel   | 173 |
| No association between the c2 allele at the cytochrome P450IIE1 gene and alcohol induced liver disease, alcohol Korsakoff's syndrome or alcohol dependence syndrome | 101 |
| D.M. Ball, D. Sherman, R. Gibb, J.F. Powell, A. Hillman, T. Peters, R. Murray, I. Smith   | 181 |
| Imipramine treatment of cocaine abuse: possible boundaries of efficacy  |     |
| E.V. Nunes, P.J. McGrath, F.M. Quitkin, K. Ocepek-Welikson, J.W. Stewart, T. Koenig, S. Wager, D.F. Klein   | 185 |
| Comorbidity between DSM-IV alcohol use disorders and major depression: results of a national survey   |     |
| B.F. Grant, T.C. Harford  | 197 |
| Craving and drug reward: a comparison of methadone and clonidine in detoxifying opiate addicts  |     |
| S. Dawe, J.A. Gray  | 207 |
| Carbamazepine and cocaine-cue reactivity  |     |
| D. Hersh, L.O. Bauer, H.R. Kranzler   | 213 |
| Acute subjective responses to paroxetine in normal volunteers   |     |
| L.H. Brauer, M.R. Rukstalis, H. de Wit  | 223 |
| Levels and correlates of polydrug use among heroin users and regular amphetamine users  |     |
| S. Darke, W. Hall   | 231 |
| Patterns of injecting and sharing in a Scottish prison  |     |
| D. Shewan, A. Macpherson, M.M. Reid, J.B. Davies  | 237 |
| Mazindol treatment for cocaine dependence   |     |
| S.M. Stine, J.H. Krystal, T.R. Kosten, D.S. Charney   | 245 |
| The association between childhood irritability and liability to substance use in early adolescence: a 2-year follow-up study of boys at risk for substance abuse    |     |
| R.E. Tarter, T. Blackson, J. Brigham, H. Moss, G.V. Caprara   | 253 |
| News  | 263 |
| Announcements   | 267 |
| Author index  | 269 |
| Subject index   | 271 |
| Volume contents   | 275 |

